

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web
 Results 1 - 10 of about 568,000 for **place and route array context compiler**. (0.31 seconds)
Ultra-Fast Automatic Placement for FPGAs (ResearchIndex)

... Gate **Array** FPGA **compilation** tools has escalated for three reasons first, ...
 18 New Algorithms for **Placement** and **Routing** of Macro Cells (**context**) ...
citeseer.ist.psu.edu/sankar99ultrafast.html - 26k - [Cached](#) - [Similar pages](#)

ACRES Architecture and Compilation (ResearchIndex)

31 Architecture of FieldProgrammable Gate **Arrays** (**context**) - Rose, Gamal et al.
 - 1993 ... 4 Fast and Efficient **Place** and **Route** for Pipeline Reconfigurab. ...
citeseer.ist.psu.edu/ang04acres.html - 31k - [Cached](#) - [Similar pages](#)
[\[More results from citeseer.ist.psu.edu \]](#)

Reconfigurable computing - Wikipedia, the free encyclopedia

Obtained after **place** and **route**, final.result of the **place** and **route** phase. ...
 Often the reconfigurable **array** is used as a processing accelerator attached ...
en.wikipedia.org/wiki/Reconfigurable_system - 39k - [Cached](#) - [Similar pages](#)

[PDF] Zippy - A coarse-grained reconfigurable array with support for ...

File Format: PDF/Adobe Acrobat
 erated using the Zippy **place** and **route** tools. Figure 4. shows that for this
 implementation ... a coarse-grained multi-**context** reconfigurable **array**. A dis- ...
doi.ieeecomputersociety.org/10.1109/ASAP.2005.69 - [Similar pages](#)

[PDF] Fast Area Estimation to Support Compiler Optimizations in FPGA ...

File Format: PDF/Adobe Acrobat
 HLL Program. **Compiler** & Optimizations. (msec to sec). Y. **Place** & **Route**. (minutes to
 ... In this **context**, resources are defined to be the ...
doi.ieeecomputersociety.org/10.1109/FPGA.2002.1106678 - [Similar pages](#)

[PDF] What Is a Compiler When The What Is a Compiler When The ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Multi-**context**. Reconfigurable Logic. **Array**. **Array** Register File ... **Place** and
route inherently complex. • Would like to have **compile** times of the order of ...
www.crest.gatech.edu/publications/utah2001.pdf - [Similar pages](#)

[PPT] PowerPoint-Präsentation

File Format: Microsoft Powerpoint 97 - [View as HTML](#)
place & **route** tools. fully parameterized to support all Zippy architecture ...
 Virtualizing Hardware with Multi-Context Reconfigurable **Arrays** **Arrays** ...
www.tik.ee.ethz.ch/~pless/publications/asap05/asap05.ppt - [Similar pages](#)

Transit Note #119 D/FPGAs in an ASIC Core Cell Methodology

Once the **array** is generated, the **compiled** **array** should, in fact, ... from core
 or memory blocks to the vendor's backend **placement** and **routing** process. ...
www.cs.caltech.edu/research/ic/transit/tn119/tn119.html - 10k - [Cached](#) - [Similar pages](#)


[PDF] Classification of Compiler Optimizations for High Performance ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 optimizations focus on more partitioning, **placement** and **route** of memories and
 ... backend **compiler** can assign some of the **arrays** to these available on-chip ...
www.docm.mmu.ac.uk/STAFF/A.Nisbet/PAPERS/fpga_opt.pdf - [Similar pages](#)

[PDF] Incremental compilation for parallel logic verification systems ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 field-programmable gate-**array**-based Icos VirtualLogic emulator. [1]. The modified
compiler ... processor **compilation** (eg, FPGA **place** and **route**), which can ...
www.ecs.umass.edu/ece/tessier/tvlsi-increment.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

place and route array context compiler

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web**

Results 11 - 20 of about 568,000 for place and route array context compiler. (0.15 seconds)

FPL 2001

Gambit: A Tool for the Simultaneous **Placement** and Detailed **Routing** of Gate-Arrays.
243-253 Electronic Edition (link) BibTeX ...
www.informatik.uni-trier.de/~ley/db/conf/fpl/fpl2001.html - 47k - [Cached](#) - [Similar pages](#)

[PDF] Synthesis and Estimation of Memory Interfaces for FPGA-based ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
successfully in the **context** of a **compiler** that maps applications directly to
FPGA [1]. ... with a medium effort for **place** and **routing** on a 800 MHz ...
www.isi.edu/~pedro/PUBLICATIONS/ParkDiniz.fccm2003.abst.pdf - [Similar pages](#)

[PDF] A Compiler Framework for Mapping Applications to a Coarse-Grained ...

File Format: PDF/Adobe Acrobat
The **compiler** uses a greedy **place-** and **route** algorithm to map these pipe stages
onto the ... **RC Array Context**. Configurations. Figure 5: Flow of **Compilation** ...
portal.acm.org/ft_gateway.cfm?id=502235&type=pdf - [Similar pages](#)

EETimes.com

Figure 1 depicts the current FPGA design process **context**: using ... After **placement**,
PPR proceeded to **route**. In this design, two time specs were used one ...
www.eetimes.com/editorial/1996/fpgafeature9601.html - 80k - [Cached](#) - [Similar pages](#)

[PDF] Dr. José L. Muñoz

File Format: PDF/Adobe Acrobat - [View as HTML](#)
FPGA FPGA. **Compiler**. Mapper. Estimator. C. VHDL/Verilog. **Place**. &. **Route**.
Simulation. ACS Program ... ACS RISC + Reconfigurable **Array** architectures entering ...
ehw.jpl.nasa.gov/events/nasa_eh/papers/ACS-EH99-JoseMunoz.pdf - [Similar pages](#)

picoChip - picoChip - Frequently Asked Questions

... it doesn't matter: you write the code, **compile** it and **place** in **array**. ...
For FPGAs that provide the same functionality the **place** and **route** time is ...
www.picochip.com/technology/faq - 37k - [Cached](#) - [Similar pages](#)

Michigan Land Use Institute: Making Smart Growth a Reality In Michigan

New **Route** to Transportation Design Michigan prepares to harmonize highway, ...
"Context-sensitive design can help ensure that the cookie-cutter four-lane ...
www.mlui.org/pageview.asp?fileid=16681 - 62k - [Cached](#) - [Similar pages](#)

Transit Note #112 DELTA: Prototype for a First-Generation ...

Each **array** element contains its own memory block to store individual configuration
bits, where each set of configuration is a "context" programmed to ...
www.cs.caltech.edu/research/ic/transit/tn112/tn112.html - 26k - [Cached](#) - [Similar pages](#)

Comprehensive solution enables high-performance FPGA design

To improve throughput and the distribution of design tasks, an intuitive mechanism
to **compile** the necessary vendor libraries for post-**place-and-route** ...
dataweek.co.za/news.asp?pkIDNewsId=16201&pkIDIssueId=524&pkIDCategoryId=35 - 41k - [Cached](#) - [Similar pages](#)

Algorithmic and Theoretical Problems Related to the Physical ...

51 The Timberwolf **Placement** and **Routing** Package (**context**) - Sechen,
Sangiovanni-Vincentelli - 1985 44 A Detailed Router for Field-Programmable Gate **Arrays** ...
citeseer.ifi.unizh.ch/karro00algorithmic.html - 32k - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

place and route array context com

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)Web Images Groups News Froogle Local [more »](#)

place and route matrix mapping PE

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 571,000 for place and route matrix mapping PE. (0.31 seconds)[\[PDF\] Floating-Point Sparse Matrix-Vector Multiply for FPGAs pdfauthor](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)PE Place. Schedule. Computation. Schedule. Communication. Assemble. Memories. Computation &. Communication. Memories. Matrix Mapper. Figure 8: Matrix Map ...
www.cs.caltech.edu/research/ic/pdf/svmv_fpga2005.pdf - [Similar pages](#)[\[PDF\] Network Topology Exploration of Mesh-Based Coarse-Grain ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)an operation to PE mapping technique that exploits tempo-. ral locality between operations by mapping operations with ... Fast and efficient place and route ...
www.cecs.uci.edu/~sumitg/pubs/CoreComp-TopExplore-Date04.pdf - [Similar pages](#)[\[PDF\] Network Topology Exploration of Mesh-Based Coarse-Grain ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)scheduling, operation to PE binding (or mapping), and routing problems. ... Fast and efficient place and route for pipeline reconfigurable architectures. ...
www.cecs.uci.edu/technical_report/TR03-27.pdf - [Similar pages](#)[\[PDF\] Thermal-aware IP virtualization and placement for networks-on-chip ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Wong used matrix synthesis problem (MSP) to model the. thermal placement problem and three ... decoupled from its physical PE mapping in the previous ...
www.cse.psu.edu/~whung/iccd2004.pdf - [Similar pages](#)[\[PDF\] Microsoft PowerPoint - MPSoC04 presentation wehn.ppt](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Access Pattern must be stored for each interleaver/matrix. Flexibility costs a huge amount of ... (no place & route). x 1.6. Design Effort. 2 MAP units ...
tima.imag.fr/mpsoc/2004/slides/Wehn.pdf - [Similar pages](#)[\[PDF\] 4. Programming of Coarse Grain Reconfigurable Platforms](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)are the PADDI-2, the MATRIX, and, as reconfigurable coprocessors, the REMARC ... mapping and placement in one step and a simple greedy routing algorithm. ...
xputers.informatik.uni-kl.de/papers/publications/Nageldinger4.pdf - [Similar pages](#)[Xcell Journal Online -- Bioinformatics article - Issue 53](#)

FPGA I/O ports for the whole design can be mapped to the device pins using the high-level ... and the place and route timing netlist is generated. ...

www.xilinx.com/publications/xcellonline/xcell_53/xc_bioinfo53.htm - 38k - [Cached](#) - [Similar pages](#)[TechOnLine - Reconfigurable Processors: Changing the Systems ...](#)

The first differentiation we experienced with the reconfigurable processor solution over FPGAs solution was the deterministic place and route. We could map ...

www.techonline.com/community/ed_resource/feature_article/38022 - 36k - [Cached](#) - [Similar pages](#)[\[PDF\] Energy/Power Estimation of Regular Processor Arrays](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)As seen in 2.1, we obtain a 2D pe array from the mapping. step. Hence two single hyperplanes ... computation time (for place and route) on a recent work- ...
www.irisa.fr/cosi/HOMEPAGE/Derrien/publi/ISSS-02.pdf - [Similar pages](#)[\[PDF\] Combined Instruction and Loop Parallelism in Array Synthesis for FPGAs](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

moved into the pe data-path using standard commercial. circuit retimers. Our experiments (based on performance es-. timates after place-and-route) have ...

Sponsored Links

[Maps & Driving Directions](#)Provides interactive maps and driving directions for U.S. cities.
www.uslocalmaps.com[Route Map](#)Poll and Link to Free Map Sites
Free-Maps.org

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

place and route matrix mapping FPGA

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 84,800 for place and route matrix mapping FPGA. (0.26 seconds)**[PDF] Routing-directed Placement for the T FPGA**File Format: PDF/Adobe Acrobat - [View as HTML](#)**matrix. FPGA mapping** begins by dividing the circuit. into pieces of sequential logic (logic nodes), ... **placement** and **routing** in the hand-mapped. version. ...www.ee.washington.edu/people/faculty/hauck/publications/FPGA92.pdf - [Similar pages](#)**Sponsored Links****[Maps & Driving Directions](#)**Provides interactive maps and driving directions for U.S. cities. [www.uslocalmaps.com](#)**[PDF] Dynamic FPGA Routing for Just-in-Time FPGA Compilation**File Format: PDF/Adobe Acrobat - [View as HTML](#)technology **mapping** and VPR's bounding box **placement**. However, incorporating existing **FPGA routing** algorithms within. a JIT compiler is not possible given ...

www.cecs.uci.edu/conference_proceedings/dac_2004/lysecky_dynamic.pdf -

[Similar pages](#)**[PDF] Dynamic FPGA Routing for Just-in-Time FPGA Compilation**File Format: PDF/Adobe Acrobat - [View as HTML](#)and execute technology **mapping**, **placement**, and **routing**. Such. compilation would be done on a small lean processor coexisting. on the **FPGA** for this purpose, ...www.cs.ucr.edu/~vahid/pubs/dac04_jitfpgaroute.pdf - [Similar pages](#)**[PDF] A First Approach to Synthesis from Assembly Code for Hardware ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)the previous switch **matrix** and attempt to **route** the wire in the ... technology **mapping**, and **place** and **route**. Code Size is the ...www.cs.ucr.edu/~vahid/pubs/dac03_dhs.pdf - [Similar pages](#)**[Comparison Matrix](#)**LeonardoSpectrum Comparison **Matrix**. ... Integration w/ **FPGA** vendor Floorplanning, **Place & Route** Tools. a. a. " Can assign synthesized cells to physical ...

www.mentor.com/products/fpga_pld/synthesis/leonardo_spectrum/comp_matrix.cfm -

53k - [Cached](#) - [Similar pages](#)**[Reconfigurable computing - Wikipedia, the free encyclopedia](#)**Refers to total on-chip memory available for multi-FPGA systems. ... **Place** and **Route**.Process of converting a netlist into physically **mapped** and **placed** ...en.wikipedia.org/wiki/Reconfigurable_system - 39k - [Cached](#) - [Similar pages](#)**[Reconfigurable computing - Wikipedia, the free encyclopedia](#)**The XD1 **FPGA** reconfiguration is accomplished via the traditional HDL design ... **Place** and **Route**. Process of converting a netlist into physically **mapped** and ...en.wikipedia.org/wiki/Reconfigurable_computing - 39k - [Cached](#) - [Similar pages](#)**[PDF] Mapping multi-mode circuits to LUT-based FPGA using embedded MUXes ...**

File Format: PDF/Adobe Acrobat

Mapping multi-mode circuits to LUT-based **FPGA** using embedded MUXes. TimCourtney, Richard Turner, ... This was then changed to 35MHz for **place & route**. ...doi.ieeecomputersociety.org/10.1109/FPGA.2002.1106699 - [Similar pages](#)**[PDF] PAM-Blox : High Performance FPGA Design for Adaptive Computing ...**

File Format: PDF/Adobe Acrobat

fers an integrated **FPGA** design system with **placement** hints. at the design entry level. ... technology **mapping** to **place** and **route**. Trianus is currently ...doi.ieeecomputersociety.org/10.1109/FPGA.1998.707894 - [Similar pages](#)**[List of FPGA-based Computing Machines](#)****FPGA** Devices for Data Processing/**Routing**/**Switching**:: 32 XC4000E(X)s ... 100% automatic **place** and **route**. System compiles in under ten seconds per chip. ...www.io.com/~guccione/HW_list.html - 132k - [Cached](#) - [Similar pages](#)